



2011 Agricultural Product Catalog

QUALITY COATING & REPAIR PRODUCTS

Roof & Foundation • Barn & Fence • Driveway • Concrete



FARM PRIDE™

Seal Of Approval



FARM PRIDE™

Seal Of Approval

The **Farm Pride Seal of Approval** signifies a dedicated commitment to product quality and environmental stewardship. **Farm Pride** designated products represent livestock friendly formulations that exhibit outstanding performance and durability in a variety of climatic conditions and geographical locations.

JETCOAT Farm Pride designated products are specifically formulated to beautify and protect agricultural roofs, foundations, barns, fences, grain bins, silos and driveways.





Premium One Coat 100% Acrylic Barn & Fence Paint

A premium fade resistant 100% acrylic paint fortified with UV inhibitors for years and years of lasting durability. Easily applied by spray, brush or roller. Features one coat coverage. Available in Traditional Barn Red, Gray, White and Black.

USES:

- All Wood Plank Fences
- All Types of Barns
- Roofs, Concrete & More

FEATURES:

- Acrylic Water-Based Formula
- Resists Fading, Peeling & Chipping
- Environmentally Friendly Formula
- Helps Prevent Cribbing
- Livestock Safe - Dry Finish
- Mold-Resistant
- Easy Soap & Water Cleanup
- Dries to a Semi-Gloss Finish

CONTAINER SIZE:

4.75 Gallon and .9 Gallon Pails

COVERAGE:

Approximately 200 square feet per gallon depending on surface porosity

PRODUCT DETAILS:

Size:	Item #	Pack	Weight	Color
4.75 Gal. Pail	66405	1	47.5 lbs.	Red
.9 Gal. Pail	66401	6	58 lbs.	Red
4.75 Gal. Pail	66435	1	52 lbs.	Gray
.9 Gal. Pail	66431	6	64 lbs.	Gray
4.75 Gal. Pail	66425	1	52 lbs.	White
.9 Gal. Pail	66421	6	64 lbs.	White
4.75 Gal. Pail	66415	1	47.5 lbs.	Black
.9 Gal. Pail	66411	6	58 lbs.	Black



Premium Asphalt Fence Paint



Asphalt based fence paint fortified with special oils designed to penetrate, preserve and protect wood and other types of surfaces. It will also add years of service life as it rust proofs metal, preserves wood, damp proofs stone or brick and rejuvenates composition surfaces. Helps prevent cribbing on fencing and stalls. Designed for use above or below grade.

USES:

- Wood or Metal Fences & Posts
- Masonry & Concrete
- Use Above or Below Grade

FEATURES:

- Apply by Brush, Spray or Roller
- Penetrates, Preserves & Protects
- Livestock Safe - Dry Finish

COVERAGE:

Up to 200 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66445	1	49 lbs.
.9 Gal. Pail	66441	6	59 lbs.

Premium Aluminum Paint



A premium resin based aluminum protective paint that exhibits a brilliant silver color for superior reflectivity. Protects a variety of metal surfaces including grain bins, silos, roofs, chain link fences and more. Can also be applied to wood, concrete and other building substrates where enhanced reflectivity is desired. Dries bright silver.

USES:

- Grain Bins/Silos
- Metal Roofs & Fences
- Tanks & Trailers
- Dairy Equipment
- Metal & Wood Surfaces

FEATURES:

- Outstanding Reflectivity
- Long-Term Durability
- Lustrous Aluminum Finish
- Cools Interior Building & Structure Temperature
- Weatherproofs

COVERAGE:

Up to 180 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66455	1	49 lbs.
.9 Gal. Pail	66451	6	59 lbs.



7-Year Premium Fibered Aluminum Roof Coating



This premium energy saving formula seals, protects and reflects solar heat using selected waterproofing asphalts, fibers and high grade leafing aluminum pigments. Forms an excellent adhesive bond with most substrates. Areas immediately under roof will remain approximately 15-20 degrees cooler in summer. In winter, inside heat is reflected back into the building, saving energy costs. Dries bright silver.

USES:

- Agricultural Buildings, Silos & Grain Bins
- Metal & Built-up Roofs
- Weathered Asphalt Coatings
- Mobile Homes/RV's
- Mod. Bitumen, SBS/APP

FEATURES:

- 7 Year Protection
- Stays Brighter Longer
- Bright Silver Color
- Premium Energy Saving Formula

COVERAGE:

Metal Roofs: 75-100 square feet per gallon
Composition Roofs: 50-75 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66465	1	49 lbs.
.9 Gal. Pail	66461	6	58 lbs.

5-Year Fibered Aluminum Roof Coating



A blend of select asphalts, fibers and aluminum pigments. This material will reflect up to 80% of the sun's rays, helping prevent excessive drying and cracking of substrate, thus reducing leaks. Areas immediately under roof will remain approximately 15-20 degrees cooler in summer. In winter, inside heat is reflected back into the building, saving energy costs.

USES:

- Agricultural Buildings, Silos & Grain Bins
- Metal & Built-up Roofs
- Weathered Asphalt Coatings
- Mobile Homes/RV's
- Mod. Bitumen, SBS/APP

FEATURES:

- 5 Year Protection
- Saves Energy & Reflects Heat
- Bright Aluminum Color
- Ideal for Use on Farm Buildings, Mobile Homes & RV's

COVERAGE:

Metal Roofs: 75-100 square feet per gallon
Composition Roofs: 50-75 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66475	1	49 lbs.
.9 Gal. Pail	66471	6	58 lbs.



10-Year Premium White Elastomeric Roof Coating



A superior product featuring unmatched adhesion, low temperature flexibility and durability. This product exceeds the stringent performance requirements of ASTM-D6083. Forms a tough, durable rubber membrane over a variety of roof surfaces. Superior reflectivity lowers interior building temperature providing energy savings up to 35%. Dries bright white.

USES:

- Old Asphalt Coatings
- Composition Built-Up
- Polyurethane Foam, Mobile Homes & RV's
- EPDM Roofs, APP & SBS Mod. Bitumen
- Metal, Concrete, Wood & More

FEATURES:

- High Solids Formula for Maximum Film Build
- Forms a Durable Rubber Membrane
- Meets ASTM D6083
- 100% Acrylic Elastomeric Formula
- Superior Reflectivity
- 10-Year Protection

COVERAGE:

Approximately 50-75 square feet per gallon per coat. Two coats are recommended.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66485	1	55 lbs.
.9 Gal. Pail	66481	6	69 lbs.

7-Year White Elastomeric Roof Coating



Acrylic elastomeric coating that forms a rubber-like membrane over roof surfaces. Features outstanding reflectivity that lowers interior building temperatures for energy savings up to 35%. Dries bright white.

USES:

- Old Asphalt Coatings
- Composition Built-Up
- Polyurethane Foam, Mobile Homes & RV's
- Metal, Concrete, Wood & More

FEATURES:

- Forms a Durable Rubber Membrane
- Superior Reflectivity
- Acrylic Elastomeric Formula
- 7-Year Protection

COVERAGE:

Approximately 50-75 square feet per gallon per coat. Two coats are recommended.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66495	1	55 lbs.
.9 Gal. Pail	66491	6	69 lbs.

White Elastomeric Roof Patch



An acrylic emulsion patch material designed for repairing cracks, seams, edges around skylights, vents, and metal joints. Dries white.

USES:

- Patching Cracks
- Filling Holes
- Repairing Flashings, Vents, Gutters, & Air Conditioners

FEATURES:

- Acrylic Elastomeric Polymers for Long Lasting Flexibility
- Outstanding Durability
- Easy To Apply

COVERAGE:

One .9 gallon pail will cover approximately 12 square feet at 1/8 inches thick or 35 linear feet of 4 inch wide repair at 1/8 inches thick.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Gal. Pail	66501	6	71 lbs.

Fibered Roof & Foundation Coating



A mixture of liquid asphalt and fibers designed to form a tough, adhesive bond with most roof surfaces. This material will seal small cracks, joints, seams and nail holes. Highly resistant to water and other types of weather damage. Dries black.

USES:

- Metal Roofs
- Concrete Roofs
- Built-Up Roofs
- Concrete Foundations
- Roof Felts, Wood Roofs & More

FEATURES:

- Seals, Protects & Waterproofs
- Use Above or Below Grade

COVERAGE:

Metal Roof: 60-70 square feet per gallon
Felt or Composition: 50-60 square feet per gallon
Concrete: 25-50 square feet per gallon
Old Oxidized Roofing: 25-50 square feet per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66515	1	44 lbs.
.9 Gal. Pail	66511	6	52 lbs.

Non-Fibered Roof, Fence & Foundation Coating



This sealer/preservative is an excellent saturant for excessively dry composition roofing. It will add years of service as it rust proofs metal, preserves wood, damp proofs stone or brick and rejuvenates composition surfaces. May be used to coat concrete foundations, above and below grade. Ideal for use as a fence and barn coating.

USES:

- Concrete Foundations
- Most Roof Surfaces
- Wood Fences & Barns
- Metal, Concrete, Wood & More

FEATURES:

- Penetrates, Preserves & Protects Roofs, Foundations, Wood Fences, Barns & More

- Use Above or Below Grade

COVERAGE:

Metal Surfaces: 90-100 sq. ft. per gallon
Concrete and Masonry Surfaces: 75-100 sq. ft. per gallon
Wood or Composition: 65-90 sq. ft. per gallon
Worn Roofing: 50-80 sq. ft. per gallon

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66525	1	42 lbs.
.9 Gal. Pail	66521	6	47 lbs.

All-Weather Roof Cement



A thick blend of liquid asphalt and fibers specially designed as a patching material, adhesive and general utility sealing compound that imparts water-repellency to flashings, seams or patches in roofs and gutters.

USES:

- Splits and Seams
- Flashings
- Vents
- Skylights
- Metal Joints
- Chimneys
- Coping

FEATURES:

- Bonds rapidly to wet, moist & cold surfaces
- Ideal for use on vent pipes & skylights

COVERAGE:

12 square feet per gallon at 1/8 inches thick

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66535	1	50 lbs.
.9 Gal. Pail	66531	6	56 lbs.

8-Year Premium Driveway Resurfacer



A polymer modified asphalt emulsion based driveway resurfacer designed to beautify, protect and renew asphalt pavement surfaces. Fortified with sand for added filling, slip resistance and durability.

USES:

- Asphalt driveways & parking areas

FEATURES:

- 8-Year Protection
- 8X Polymer Modification
- High Solids Formula for Good Filling & Long Term Protection
- Fast and Easy to Apply
- Dries Black

COVERAGE:

One 4.75 Gallon Pail will cover approximately 250-350 SQ. FT. per coat. Two coats are recommended for maximum durability and warranty purposes. Coverage will ultimately be dependent upon pavement porosity. Extremely porous pavement may significantly reduce product coverage.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66545	1	57.5 lbs.

5-Year Driveway Filler & Sealer



A polymer modified asphalt emulsion based driveway filler and sealer designed to beautify and protect asphalt pavement surfaces. Fortified with sand for added filling, slip resistance, and durability.

USES:

- Asphalt driveways & parking areas

FEATURES:

- 5-Year Protection
- 5X Polymer Modification
- Fills & Seals Blacktop Surfaces
- Dries Black

COVERAGE:

One 4.75 Gallon Pail will cover approximately 250-350 SQ. FT. per coat. Two coats are recommended for maximum durability and warranty purposes. Coverage will ultimately be dependent upon pavement porosity. Extremely porous pavement may significantly reduce product coverage.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66555	1	57.5 lbs.

2-Year Driveway Sealer



A polymer modified asphalt emulsion based driveway sealer designed to protect asphalt pavement surfaces. Fortified with sand for slip resistance and durability.

USES:

- Asphalt driveways & parking areas

FEATURES:

- 2-Year Protection
- 2X Polymer Modification
- Fortified With Sand for Slip-Resistance
- Dries Black

COVERAGE:

One 4.75 Gallon Pail will cover approximately 250-350 SQ. FT. per coat. Two coats are recommended for maximum durability and warranty purposes. Coverage will ultimately be dependent upon pavement porosity. Extremely porous pavement may significantly reduce product coverage.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66565	1	55.4 lbs.

Elastomeric Pourable Driveway Crack Filler



A polymer modified elastomeric asphalt emulsion pourable crack filler designed for sealing cracks up to 3/4" wide in asphalt pavement surfaces. Dries Black.

USES:

- Filling cracks in asphalt pavement

FEATURES:

- Elastomeric Formula for Outstanding Flexibility & Adhesion
- Fills & Seals Cracks in Asphalt Driveways
- Seals Out Moisture
- High Solids Formula for Lasting Repair
- Dries Black

COVERAGE:

One .9 Gallon Jug will fill approximately 150 lineal feet of cracks 1/2 inches wide by 1/4 inches deep.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Gal. Jug	66571	6	62.3 lbs.

Trowel Grade Crack Filler



Heavy-bodied sand-filled trowel grade asphalt emulsion crack filler designed for filling cracks up to 1" wide in asphalt pavement surfaces. Can also be used to fill shallow ruts and depressions in pavement surfaces. Dries Black.

USES:

- Filling cracks & ruts in asphalt pavement

FEATURES:

- Fills Cracks & Ruts in Asphalt Driveways
- Seals Out Moisture
- Easy To Apply
- Dries Black

COVERAGE:

Ultimate coverage will be dependent upon depth and width of crack.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Gal. Pail	66581	6	77.82 lbs.



Concrete Sealer



JETCOAT Concrete Sealer is a professional grade 100% Acrylic water-based clear drying emulsion. It is designed to seal and protect both interior and exterior concrete surfaces.

USES:

Driveways, patios, sidewalks, pool decks, floors, quarry tiles, paver bricks, brick surfaces, masonry, and more. For interior and exterior use.

FEATURES:

- Seals & Protects
- Weatherproofs
- Dustproofs
- Water-Based
- Clear Finish

- Cures Concrete
- Salt & Chemical Resistant

COVERAGE:

For best results apply JETCOAT Concrete Sealer at a rate of 200 square feet per gallon (950 square feet per 4.75 gallon pail).

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66595	1	46 lbs.
.9 Gal. Pail	66591	6	55 lbs.

High Gloss Sealer



JETCOAT High Gloss Sealer is a 100% Water-Based Acrylic Clear Sealer that provides a high gloss protective and durable finish to paving stone and exposed aggregate surfaces.

USES:

Paving Stone, Decorative Stone, and Exposed Aggregate Concrete.

FEATURES:

- Dries To A Clear Glossy Finish
- 100% Acrylic Formula
- Fast Drying
- Durable Lasting Finish

COVERAGE:

130 to 170 square feet per gallon per coat.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
4.75 Gal. Pail	66705	1	46 lbs.
.9 Gal. Pail	66701	6	55 lbs.

Concrete Patch



A 100% acrylic heavy-bodied trowel grade crack filler designed for filling larger cracks up to 1" wide in concrete surfaces. Concrete Patch can also be used to fill and repair damaged and spalled areas in concrete up to 1/4" deep.

USES:

Use to repair concrete driveways, patios, sidewalks, pool decks, and more

FEATURES:

- 100% Acrylic Formulation
- Fills Cracks Up To 1" Wide
- Heavy-Bodied Trowel Grade Formula
- Repairs Damaged & Spalled Areas Up To 1/4" Deep

COVERAGE:

Dependent upon depth and width of repair

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Gal. Pail	66711	6	99.8 lbs.

Concrete Crack Sealant



A 100% acrylic elastomeric sealant designed for filling cracks up to 1/2" wide in concrete pavement surfaces.

USES:

- Filling Cracks in Concrete Pavement Surfaces

FEATURES:

- Seals Out Moisture
- Fills Cracks Up To 1/2" Wide
- High Solids Formulation for Lasting Repair
- 100% Acrylic Elastomeric Formula

COVERAGE:

Coverage is dependent upon depth and width of cracks. Typically, one quart of Concrete Crack Sealant will fill approximately 20-35 feet of cracks.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Qt. Bottle	66724	12	39 lbs.

Concrete Cleaner



An environmentally friendly, water based formula designed to clean all types of concrete and brick surfaces.

USES:

- Concrete surfaces, driveways, patios, paver bricks, exposed aggregate and more

FEATURES:

- Non-Toxic
- Water Based

COVERAGE:

Dependent upon dilution rate with water.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Qt. Bottle	66734	12	30 lbs.

Concrete Bonding Agent & Fortifier



A professional grade bonding agent & fortifier for concrete designed to strengthen concrete patches and aid in the adhesion of new concrete.

USES:

- Concrete Patches, Repairs & Overlays

FEATURES:

- Increases UV, Chemical & Water Resistance
- Strengthens Concrete Repairs & Overlays
- Adheres New Concrete to Old
- Increases Flexibility

COVERAGE:

Dependent upon mixture rate.

PRODUCT DETAILS:

Size:	Item #	Pack	Weight
.9 Qt. Bottle	66744	12	30 lbs.



For more information, please visit JETCOATinc.com

For over 50 years the **JETCOAT** name has stood for quality and performance. Today, **JETCOAT** continues to be a leader and innovator of driveway, roof, foundation, agricultural and specialty coatings to meet the performance and environmental requirements of demanding professionals as well as the farm and D-I-Y markets.

The ongoing success of **JETCOAT** is directly attributed to the continued support and loyalty of our customers who depend on our unmatched quality and service to meet their dynamic needs.

**JETCOAT is a trusted name -
yesterday, today and into the future.**



P.O. Box 23054
472 S. Brehl Avenue
Columbus, Ohio 43223

Phone: 1-800-394-0047
Fax: 1-614-279-7201